## GASTROENTEROLOGY ASSOCIATES, PC A member of Northeast Medical Group

NORTHEAST MEDICAL GROUP YALE NEW HAVEN HEALTH

Howard L. Taubin, M. D. Gregory N. Soloway, M.D. Andrew Bedford, M.D. Pietro G. Andres, M.D

of Citrate of Magnesia (clear only).

2890 Main Street Stratford, CT 06614 2600 Post Road Southport, CT 06890 Phone (203) 375-1200 Fax (203) 378-2412

## MIRALAX PREP ~ PM Procedure For Out-patient colonoscopy at Bridgeport Hospital

STOP ALL BLOOD THINNERS INCLUDING ASPIRIN, COUMADIN, PLAVIX, ETC. 3 TO 5 DAYS PRIOR TO YOUR PROCEDURE! PLEASE CONTACT THE DOCTOR PRESCRIBING THE MEDICATION TO YOU TO FIND OUT WHEN YOU NEED TO STOP THE MEDICATION.

You will need to purchase the following items (can buy the store brand):

- ~1 small box of Dulcolax Laxatives (you will need 4 pills).
- ~1 medium bottle of Miralax (238 grams ~ this is a powder –generic is Polyethylene Glycol).
- ~2 bottles of Citrate of Magnesia (10oz. size Clear only- no cherry flavor).

The day before your colonoscopy you may have a light breakfast before 10 am. You are than on clear liquids ONLY \*\*\* No solid foods \*\*\*. Clear liquids consist of chicken/beef/veg. broth, Jello or popsicles (no red or orange), lemon ice cups, tea and any clear juices. No coffee or dairy products.

Mix the bottle of Miralax with 64 oz of ANY CLEAR LIQUID –NOTHING RED OR ORANGE.

Examples ~ Apple juice, white grape/cranberry juice, sports drink (Gatorade, Powerade) or flavored/vitamin water. Make sure you take a cup of the juice out before adding the bottle of Miralax so it does not over flow. Place in refrigerator to get cold if you wish.

Starting at 3 pm on \_\_\_\_\_\_\_ you are to take 4 Dulcolax tablets. You may start your prep earlier if you wish.

At approx. 5 pm start drinking the Miralax mixture. Drink the mixture over the next few hours until the mixture is gone. Do not drink the mixture quickly. You may have other clear liquids in between.

At 8 pm drink the 1 bottle of Citrate of Magnesia (clear only)

At 6 am on if you are still having any formed stool, drink the second bottle

The day of the colonoscopy you may have clear liquids up to 4 hours prior to the procedure. Nothing to eat. You may take your medications (other than those listed above).

You are to go to Brid	dgeport Hospital, 267 Grant Street Bridgeport, CT
For	on
	ance off Grant Street. <u>You can go directly to the Endoscopy Suite on the 4<sup>th</sup>bring your insurance card(s).</u>
*Do Not wear nail po	olish the day of your procedure.
	u are given for the procedure will make you drowsy. Therefore the hospital drive. You MUST have a ride to and from the hospital. You will be at the rs.
	office if your insurance changes between the time you came for your and the time of your scheduled procedure.
and/or diagnostic colf you have already	th your insurance company what your benefits cover for a screening plonoscopy. Also check to see if you have any co-pays for the hospital. Check on your benefits with your insurance company prior to your visit and you check them again with the information and codes below.
You are scheduled f	for a Diagnostic Colonoscopy with code(s)Reason:
	Screening Colonoscopy with code(s)
The Colonoscopy pr	rocedure codes used are as follows: 45378, 45380, 45384, & 45385
My name is	
	ing paperwork. If you have ANY ISSUES when you call your insurance rour benefits, please call the office before you have your procedure so that this.
Please call me if you	u have to reschedule or cancel the procedure I will notify the hospital.

203.375.1200

If you have any questions regarding the preparation for the procedure please do not hesitate to call.